KC-LIFTER Series

SPECIFICATION SHEET



MTC Kitchen Cart Lifter

Safety Strobe &

Alarm


Hydraulic

Lifter Frame

Wheel, Phen., 5 IN.

Cylinder, 3 IN.

The MTC Model KC-LIFTER, designed to provide a safe and economical solution for lifting and storing kitchen carts in a sanitary environment. The KC-Lifter utilizes a 1 HP hydraulic power unit and a 3" hydraulic lift cylinder to lift kitchen carts up to 89 inches. Kitchen carts can be stored up to three rows high for extended periods of cooling, pickling, hardening or ripening, using the KC-RACK Series Modular Rack System.



(with brakes) on the back to allow operators to manually move loaded kitchen carts with ease.

> Two-hand hold-down, push-button controls are located in the center of the operator console, and one Emergency Stop button is located on each side of the operator console for convenience.

Controls The KC-LIFTER employs an audible alarm and a safety strobe to warn all personnel in the area when the hydraulic lift is in motion.

Caster, Swivel, Phen., 5 IN. w/Brake

Contact the MTC Sales Team at (254) 298-2900, or visit our website www.gomtc.com

Lexan Safety

Two Hand

Shield


KC-LIFTER Series

SPECIFICATION SHEET



Dimensions

Contact the MTC Sales Team at (254) 298-2900, or our website www.gomtc.com



FEATURES

- Made of heavy-duty angle and tubular stainless-steel.
- 1HP hydraulic power unit & 3 in. hydraulic lift cylinder.
- Powerful on-board 24 VAC charging system & rechargeable battery.
- Audible alarm sounds when the unit is in motion.
- Equipped with heavy-duty 5" casters, (w/locking brake) on the back.
- Two-hand, hold-down push button controls and two Emergency Stop buttons.

Benefits

- Assures long life and ease of sanitation.
- Allows the operator to lift kitchen carts 89" and stack them 3 rows high, using the KC-Rack.
- Provides portable power to lift and store kitchen carts.
- Safety Alarm warns personnel in the area.
- Ensures ease of mobility.
- Provides for a safe work environment for the operator and other personnel.

KC-LIFTER Series

SPECIFICATION SHEET



MTC Kitchen Cart Lifter

The hydraulic lift on the portable KC-LIFTER is powered by a battery bank and onboard 24 volt charging system which allows the KC-Lifter to be moved about the workplace and recharged in any 120 VAC outlet.

Contact the MTC Sales Team at (254) 298-2900, or visit our website www.gomtc.com

The operator manually moves the KC-Lifter into the rack and the hydraulic power unit lifts or lowers the carts into position on the rack.

The KC-Lifter features a Lexan safety shield to protect the operator while loading and unloading full carts.

